

CLAIMS

1. An agent for improving a mental disorder due to cerebral dysfunction, comprising a hepatocyte growth factor.

5

2. The agent according to claim 1, wherein the mental disorder is a decline in learning function.

3. The agent according to claim 1, wherein the mental
10 disorder is a decline in memory function.

4. The agent according to claim 1, wherein the mental disorder is dementia.

15 5. An agent for inhibiting vascular hyperpermeability, comprising a hepatocyte growth factor.

6. The agent according to claim 5, wherein the vascular hyperpermeability is cerebrovascular hyperpermeability.

20

7. A composition for improving a mental disorder due to cerebral dysfunction, comprising a hepatocyte growth factor and a pharmaceutically acceptable additive.

25 8. The composition according to claim 7, wherein the mental disorder is a decline in learning function.

9. The composition according to claim 7, wherein the mental disorder is a decline in memory function.

10. The composition according to claim 7, wherein the mental disorder is dementia.

5 11. A composition for inhibiting vascular hyperpermeability, comprising a hepatocyte growth factor and a pharmaceutically acceptable additive.

12. The composition according to claim 11, wherein the
10 vascular hyperpermeability is cerebrovascular hyperpermeability.

13. A method of improving a mental disorder due to cerebral dysfunction, which comprises administering a
15 hepatocyte growth factor to a mammal.

14. The method according to claim 13, wherein the mental disorder is a decline in learning function.

20 15. The method according to claim 13, wherein the mental disorder is a decline in memory function.

16. The method according to claim 13, wherein the mental disorder is dementia.

25

17. A method of inhibiting vascular hyperpermeability, which comprises administering a hepatocyte growth factor to a mammal.

18. The method according to claim 17, wherein the vascular hyperpermeability is cerebrovascular hyperpermeability.

5 19. Use of a hepatocyte growth factor in producing a pharmaceutical preparation for inhibiting a mental disorder due to cerebral dysfunction.

20. The use according to claim 19, wherein the mental
10 disorder is a decline in learning function.

21. The use according to claim 19, wherein the mental disorder is a decline in memory function.

15 22. The use according to claim 19, wherein the mental disorder is dementia.

23. Use of a hepatocyte growth factor in producing a pharmaceutical preparation for inhibiting vascular
20 hyperpermeability.

24. The use according to claim 23, wherein the vascular hyperpermeability is cerebrovascular hyperpermeability.